# Journal of Applied Polymer Science

## Author Index—Volume 72


**Abd El-Kader, F. H.**
—; Gaafar, S. A.; Rizk, M. S.; Kamel, N. A.: Optical Studies of Pure and Gelatin-Doped Poly(vinyl alcohol) Films Irradiated with Fast Neutrons, 1395
**Abdel-Razek, E. M.** See Tawansi, A., 771
**Abu Zeid, M. M.** See El-Salmawi, K., 509
**Afifi, M. S.** See Ismail, M. R., 1031
**Agarwal, N.**
—; Farris, R. J.: Water Absorption by Acrylic-Based Latex Blend Films and Its Effect on Their Properties, 1407
**Ahamad, S.**
—; Naqvi, F.; Verma, K. L.; Yadav, S.: Studies on a Newly Developed Linseed Oil-Based Alumina-Filled Polyesteramide Anticorrosive Coating, 1679
**Akagi, T.** See Seto, F., 1583
**Akashi, M.** See Seto, F., 1583
**Albertsson, A.-C.** See Edlund, U., 227
**Al-Haddad, A.**
—; Mathew, J.; Elkamel, A.; El-Nagdi, M.: Homopolymerization of 4-Propionoxybenzoic Acid: A Kinetic Study, 467
**Ali, K. M. I.** See Hassiruzzaman, M., 1131
**Ali, M. A. M.** See Ismail, M. R., 1031
**Alon, D.** See Silverstein, M. S., 405
**Al-Raheil, I. A.**
—; Al-Share, M.: Morphology of Polyethylene Spherulite Crystallized from Melt, 1125
**Al-Share, M.** See Al-Raheil, I. A., 1125
**Aminabhavi, T. M.**
—; Naik, H. G.: Sorption/Desorption, Diffusion, and Swelling Characteristics of Geomembranes in the Presence of Halo-Organic Liquids, 349
—; Naik, H. G.: Sorption/Desorption Studies on Polypropylene Geomembrane in the Presence of Hazardous Organic Liquids, 1291
**Anasagasti, M.**
—; Hidalgo, M.; Mijangos, C.: Transesterification and Crosslinking of Poly(vinyl chloride-*co*-vinyl acetate) Copolymers in the Melt, 621
**Andrio, A.** See Compañ, V., 321
**Anttila, U.**
—; Vocke, C.; Seppälä, J.: Functionalization of Polyolefins and Elastomers with an Oxazoline Compound, 877
**Anttila, U.** See Vocke, C., 1443
**Argon, A. S.**
Craze Plasticity in Low Molecular Weight Diluent-Toughened Polystyrene, 13
**Arica, M. Y.**
—; Baran, T.; Denizli, A.: β-Galactosidase Immobilization into Poly(hydroxyethyl methacrylate) Membrane and Performance in a Continuous System, 1367
**Asua, J. M.** See Sáenz de Buruaga, A., 1341
**Ayad, M. I.** See Tawansi, A., 771
**Aydinli, B.**
—; Toppare, L.; Tinçer, T.: A Conducting Composite of Polypyrrole with Ultrahigh Molecular Weight Polyethylene Foam, 1843

**Bae, Y. C.** See Choi, H. S., 1091
**Bahar, T.**
—; Çelebi, S. S.: Immobilization of Glucoamylase on Magnetic Poly(styrene) Particles, 69
**Bai, F.** See Li, F., 209
**Bakeev, N. F.** See Volynskii, A. L., 1267
**Bandyopadhyay, G. G.**
—; Bhagawan, S. S.; Ninan, K. N.; Thomas, S.: Dynamic Properties of NR/EVA Polymer Blends: Model Calculations and Blend Morphology, 165
**Banerjee, A.** See Das, R. K., 135
**Bannerjee, A. N.** See Rana, A. K., 935
**Baran, T.** See Arica, M. Y., 1367
**Barbani, N.**
—; Lazzeri, L.; Cristallini, C.; Cascone, M. G.; Polacco, G.; Pizzirani, G.: Bioartificial Materials Based on Blends of Collagen and Poly(Acrylic Acid), 971
**Basu, D.** See Das, R. K., 135
**Bazhenov, S.** See Volynskii, A. L., 1267
**Beccar Varela, M. P.** See Goyanes, S. N., 1379
**Bécu-Longuet, L.**
—; Bonnet, A.; Pichot, C.; Sautereau, H.; Maazouz, A.: Epoxy Networks Toughened by Core–Shell Particles: Influence of the Particle Structure and Size on the Rheological and Mechanical Properties, 849
**Belfort, G.** See Chen, H., 1699
**Bhagawan, S. S.** See Bandyopadhyay, G. G., 165
**Bichara, A.**
—; Fugit, J.-L.; Taverdet, J.-L.: Modeling of Mass Transfers Between Food Simulants and Treated Plasticized PVC, 49
**Binana-Limbele, W.** See Heitz, C., 455
**Biver, C.** See Heitz, C., 455
**Böhme, F.** See Luston, J., 1047
**Bonnet, A.** See Bécu-Longuet, L., 849
**Borsa, J.**
—; Ravichandran, V.; Obendorf, S. K.: Distribution of Carboxyl Groups in Carboxymethylated Cotton Fibers, 203

**Boutevin, B.** See Brondino, C., 611
**Brennan, A. B.** See Plangsangmas, L., 257
**Brestkin, Yu.** See Nikolaeva, O., 1523
**Bretas, R. E. S.** See de Carvalho, B., 1733, 1741
**Brondino, C.**
—; Boutevin, B.; Parisi, J.-P.; Schrynemackers, J.: Adhesive Properties onto Galvanized Steel Plates of Grafted Poly(vinylidene fluoride) Powders with Phosphonated Acrylates, 611
**Bucknall, C. B.** See Franco, M., 427
**Budtova, T.** See Nikolaeva, O., 1523
**Bunea, I.** See Maxim, S., 1387

**Cádiz, V.** See Castell, P., 537
**Calundann, G. W.** See Chung, T.-S., 1139
**Cao, P.** See Xu, Y., 1495
**Cao, T.** See Xu, Y., 1495
**Carlson, D.**
—; Nie, L.; Narayan, R.; Dubois, P.: Maleation of Polylactide (PLA) by Reactive Extrusion, 477
**Carmichael, S.**
—; Viney, C.: Molecular Order in Spider Major Ampullate Silk (Dragline): Effects of Spinning Rate and Post-spin Drawing, 895
**Cascone, M. G.** See Barbani, N., 971
**Castell, P.**
—; Serra, A.; Cádiz, V.; Galià, M.: Crosslinking of Trimellitimide Glycidyl Ester Derivatives, 537
**Cecchin, G.** See D'Orazio, L., 701, 1429
**Çelebi, S. S.** See Bahar, T., 69
**Chang, F.-C.** See Chang, S.-J., 109
**Chang, S.-J.**
—; Tseng, T.-W.; Chang, F.-C.: Synthesis and Characterization of Copolyesters Containing the Phosphorus Linking Pendent Groups, 109
**Chang, Y.-W.** See Nah, C., 1513
**Chatterjee, M. K.** See Manna, A. K., 1895
**Chen, H.**
—; Belfort, G.: Surface Modification of Poly(ether sulfone) Ultrafiltration Membranes by Low-Temperature Plasma-Induced Graft Polymerization, 1699
**Chen, X.** See Wang, G., 577
**Cheng, M.** See Chung, T.-S., 1139
**Cheung, W. L.** See Li, J. X., 1529
**Chin, I.-J.** See Jung, I. K., 553; Kim, K.-S., 341
**Cho, C. T.** See Nah, C., 1513
**Cho, K. Y.** See Choi, H. D., 75
**Cho, S. M.** See Chun, H. J., 251
**Cho, W.-J.** See Kang, T.-K., 989; Park, J., 1177
**Choe, C. R.** See Kim, S., 1055
**Choi, H. D.**
—; Shim, H. W.; Cho, K. Y.; Lee, H. J.; Park, C. S.; Yoon, H. G.: Electromagnetic and Electromagnetic Wave-Absorbing Properties of the $SrTiO_3$–Epoxy Composite, 75
**Choi, H. S.**
—; Kim, J. M.; Lee, K.-J.; Bae, Y. C.: Volume Phase Transition Behavior of *N*-Isopropylacrylamide–*N*-Cyano Methyl Acrylamide Copolymer Gel Particles: The Effect of Crosslinking Density, 1091
**Choi, K.-S.** See Lee, Y. M., 1713
**Choi, W.-K.** See Han, S., 41
**Chou, H. C. J.**
—; Stoffer, J. O.: Ultrasonically Initiated Free Radical-Catalyzed Emulsion Polymerization of Methyl Methacrylate (I), 797
—; Stoffer, J. O.: Ultrasonically Initiated Free Radical-Catalyzed Emulsion Polymerization of Methyl Methacrylate (II): Radical Generation Process Studies and Kinetic Data Interpretation, 827
**Chowdhury, G.** See Gagné, S., 1601
**Chun, H. J.**
—; Cho, S. M.; Lee, Y. M.; Lee, H. K.; Suh, T. S.; Shinn, K. S.: Graft Copolymerization of Mixtures of Acrylic Acid and Acrylamide onto Polypropylene Film, 251
—; See Nam, S. Y., 241
**Chun, Y. S.**
—; Lee, H. S.; Jung, H. C.; Kim, W. N.: Thermal Properties of Melt-Blended Poly(ether ether ketone) and Poly(ether imide), 733
**Chung, K.-H.**
—; Hong, Y.-K.: Introductory Behavior of Rubber Concrete, 35
**Chung, S.** See Kim, K.-S., 341
**Chung, T.-S.**
—; Cheng, M.; Goh, S. H.; Jaffe, M.; Calundann, G. W.: Revisit the Crystallization Mechanism of Vectra,™ a Liquid Crystal Polymer, 1139
—; Xu, Z.-L.; Lin, W.: Fundamental Understanding of the Effect of Air-Gap Distance on the Fabrication of Hollow Fiber Membranes, 379
**Coates, P. D.** See Sweeney, J., 563
**Collins, T. L. D.** See Sweeney, J., 563
**Colomvaretti, R. S. C.** See Soares, B. G., 1799
**Compañ, V.**
—; López, M. L.; Andrio, A.; López-Alemany, A.; Refojo, M. F.: Determination of the Oxygen Transmissibility and Permeability of Hydrogel Contact Lenses, 321
**Cook, W. D.** See Gonis, J., 1479
**Creber, K. A. M.** See Knaul, J. Z., 1721
**Cristallini, C.** See Barbani, N., 971
**Cui, S.**
—; Zhao, Z.; Wei, W.: Investigation on the Effect of Activators and Polysulfide on Durability of Electrically Conductive PAN Fibers, 1039

**da Costa, S. C. G.**
—; Felisberti, M. I.: Blends of Polyamide 6 and Epichlorohydrin Elastomers—II. Thermal, Dynamic Mechanical, and Mechanical Properties, 1835
—; Gonçalves, M. D. C.; Felisberti, M. I.: Blends of Polyamide 6 and Epichlorohydrin Elastomers—I. Graft

Copolymerization in the Melt Blending, 1827
**Das, R. K.**
—; Basu, D.; Banerjee, A.: Study of Methyl-Methacrylate-Viscose Fiber Graft Copolymerization and the Effect of Grafting on Thermal Properties, 135
**De, P. P.** See Manna, A. K., 1895
**De, S. K.** See Manna, A. K., 1895
**de Carvalho, B.**
—; Bretas, R. E. S.: Quiescent Crystallization Kinetics and Morphology of i-PP Resins for Injection Molding. II. Nonisothermal Crystallization as a Function of Molecular Weight, 1733
—; Bretas, R. E. S.: Quiescent Crystallization Kinetics and Morphology of i-PP Resins for Injection Molding. III. Nonisothermal Crystallization of the Heterophasic and Grafted Polymers, 1741
**de la Cal, J. C.** See Sáenz de Buruaga, A., 1341
**Delair, T.** See Ladavière, C., 1565
**Delgado, M.** See Kauser, N., 783
**Denizli, A.** See Arica, M. Y., 1367
**Deo, H. T.**
—; Gotmare, V. D.: Acrylonitrile Monomer Grafting on Gray Cotton to Impart High Water Absorbency, 887
**Dibenedetto, A. T.** See Dreerman, E., 647
**Ding, D.** See Li, B., 1203
**Dodiuk, H.** See Dreerman, E., 647
**Domard, A.** See Ladavière, C., 1565
**Dong, C.**
—; Tian, B.: Studies on Preparation and Emulsifying Properties of Guar Galactomannan Ester of Palmitic Acid, 639
**D'Orazio, L.**
—; Guarino, R.; Mancarella, C.; Martuscelli, E.; Cecchin, G.: Morphology, Crystallization, and Thermal Behavior of Isotactic Polypropylene/Polystyrene Blends: Effects of the Addition of a Graft Copolymer of Propylene with Styrene, 1429
—; Mancarella, C.; Martuscelli, E.; Sticotti, G.; Cecchin, G.: Isotactic Polypropylene–Ethylene-*co*-Propylene Blends: Influence of the Copolymer Microstructure on Rheology, Morphology, and Properties of Injection-Molded Samples, 701
**Dos Santos, L.** See Kauser, N., 783
**Dreerman, E.**
—; Narkis, M.; Siegmann, A.; Joseph, R.; Dodiuk, H.; Dibenedetto, A. T.: Mechanical Behavior and Structure of Rubber Modified Vinyl Ester Resins, 647
**Dubois, P.** See Carlson, D., 477
**Duckett, R. A.** See Sweeney, J., 563
**Durand, G.** See Hubert, F., 329

**Edlund, U.**
—; Albertsson, A.-C.: Copolymerization and Polymer Blending of Trimethylene Carbonate and Adipic Anhydride for Tailored Drug Delivery, 227
**Eguiazábal, J. I.** See Guerrica-Echevarría, G., 1113
**Elkamel, A.** See Al-Haddad, A., 467
**El-Milligy, A. A.** See Ismail, M. R., 1031
**El-Nagdi, M.** See Al-Haddad, A., 467
**El-Naggar, A. M.** See El-Salmawi, K., 509
**El-Salmawi, K.**
—; Abu Zeid, M. M.; El-Naggar, A. M.; Mamdouh, M.: Structure–Property Behavior of Gamma-Irradiated Poly(styrene) and Poly(methyl methacrylate) Miscible Blends, 509
**El-Sharkawy, F. M.** See Fouda, I. M., 1869, 1881
**Endo, T.** See Ikemura, K., 1655; Kaji, M., 953
**Escaig, B.** See Staniek, E., 1241

**Farris, R. J.** See Agarwal, N., 1407
**Felisberti, M. I.** See da Costa, S. C. G., 1827, 1835
**Felix, A. H. O.** See Nachtigall, S. M. B., 1313
**Feng, X.** See Liang, L., 1
**Feng, Y.**
—; Jin, X.: Effect of Self-Nucleation on Crystallization and Melting Behavior of Polypropylene and Its Copolymers, 1559
**Fenouillot, F.**
—; Terrisse, J.; Rimlinger, T.: Polymerization of Methyl Methacrylate at High Temperature with 1-Butanethiol as Chain Transfer Agent, 1589
**Fischer, U. K.** See Moszner, N., 1775
**Flondor, A.** See Maxim, S., 1387
**Fouda, I. M.**
—; El-Sharkawy, F. M.: Opto-Thermal Properties of Fibers. XV. A Study of the Drawing Behavior of Quenched Poly(ethyleneterephthalates) Fibers, 1869
—; El-Sharkawy, F. M.: Opto-Thermal Properties of Fibers. XVI. Macrostructural and Optical Properties of Cold-Drawn, Quenched PET Fibers, 1881
—; Shabana, H. M.: Opto-Thermal Properties Of Fibers: Xvii-Structure Characterization Of Cold Drawn Boiled Viscose Fibers, 1185
**Foulger, S. H.**
Electrical Properties of Composites in the Vicinity of the Percolation Threshold, 1573
**Fraga, F.** See Nunez, L., 443
**François, J.** See Heitz, C., 455
**François, P.** See Staniek, E., 1241
**Franco, M.**
—; Mondragon, I.; Bucknall, C. B.: Blends of Epoxy Resin with Amine-Terminated Polyoxypropylene Elastomer: Morphology and Properties, 427
**Frenkel, S.** See Nikolaeva, O., 1523
**Fuchslueger, U.**
—; Rissler, K.; Stephan, H.; Grether, H.-J.; Grasserbauer, M.: High-Performance Liquid Chromatography-Mass

Spectrometry of Epoxy Resins, 913
**Fugit, J.-L.** See Bichara, A., 49
**Fukuda, A.** See Kimura, H., 1551
**Fukuda, M.**
—; Miyazaki, M.; Hiyoshi, T.; Iwata, M.; Hongou, T.: Newly Developed Biocompatible Membrane and Effects of its Smoother Surface on Antithrombogenicity, 1249

**Gaafar, S. A.** See Abd El-Kader, F. H., 1395
**Gagné, S.**
—; Chowdhury, G.; Matsuura, T.; Laverty, B.: Optimization of $CO_2$–$CH_4$ Separation Performance of Integrally Skinned Asymmetric Membranes Prepared from Poly(2,6-dimethyl-1,4-phenylene oxide) by Factorial Design, 1601
**Galià, M.** See Castell, P., 537
**Gan, L. H.** See Yin, W., 95
**Gao, G.**
—; Wang, J.; Yin, J.; Yu, X.; Ma, R.; Tang, X.; Yin, Z.; Zhang, X.: Rheological, Thermal, and Morphological Properties of ABS–PA1010 Blends, 683
**Garnaik, B.**
—; Thombre, S. M.: Self-association through Hydrogen Bonding and Sequence Distribution in Poly(vinyl acetate-*co*-vinyl alcohol) Copolymers, 123
**Gaztelumendi, M.**
—; Nazábal, J.: Phenoxy/Hytrel Blends II: Dynamic and Tensile Properties of Unreacted Miscible Blends, 85
**Geckeler, K. E.** See Rivas, B. L., 741
**Geng, Y.** See Sun, Z., 1077
**George, K. E.** See Nandanan, V., 487
**German, A. L.** See Philipsen, H. J. A., 183
**Ghannam, M. T.**
Rheological Properties of Aqueous Polyacrylamide/NaCl Solutions, 1905
**Giudici, R.** See Nascimento, C. A. O., 905
**Goh, S. H.** See Chung, T.-S., 1139
**Gonçalves, M. D. C.** See da Costa, S. C. G., 1827
**Gonis, J.**
—; Simon, G. P.; Cook, W. D.: Cure Properties of Epoxies with Varying Chain Length as Studied by DSC, 1479
**Gonsalves, K. E.** See Wang, J., 1851
**Goodwin, A. A.**
Thermal Properties of a Thermoplastic Polyimide Blend, 543
**Gotmare, V. D.** See Deo, H. T., 887
**Goyanes, S. N.**
—; Beccar Varela, M. P.; Mariani, M. C.; Marzocca, A. J.: Influence of Carbon Black Dispersion on the Thermal Diffusivity of an SBR Vulcanizate, 1379
**Gradwell, M. H. S.**
—; Hendrikse, K. G.; McGill, W. J.: The Reactions of 2-(4-Morpholinothio)- and 2-(4-Morpholinodithio)Benzothiazole in the Absence of Polyisoprene, 1235
**Grasserbauer, M.** See Fuchslueger, U., 913
**Grether, H.-J.** See Fuchslueger, U., 913
**Griffin, A. C.** See He, C., 309
**Guarino, R.** See D'Orazio, L., 1429
**Guerrica-Echevarría, G.**
—; Eguiazábal, J. I.; Nazábal, J.: Phase Behavior and Physical Properties of Injection-Molded Polyamide 6/Phenoxy Blends, 1113
**Guettaf, H.** See Maxim, S., 1387
**Guillot, J.** See Martinet, F., 1611, 1627
**Güner, A.**
Unperturbed Dimensions and the Theta Temperature of Dextran in Aqueous Solutions, 871
**Guo, Z.** See Li, F., 209

**Ha, C.-S.** See Kang, T.-K., 989; Park, J., 1177
**Haghighat Kish, M.**
—; Nouri, M.: Effects of Sodium Hydroxide and Calcium Hydroxide on Polyester Fabrics, 631
**Han, S.**
—; Choi, W.-K.; Yoon, K. H.; Koh, S.-K.: Surface Reaction on Polyvinylidenefluoride (PVDF) Irradiated by Low Energy Ion Beam in Reactive Gas Environment, 41
**Handa, K.**
—; Kato, A.; Narisawa, I.: Fatigue Characteristics of a Glass-Fiber-Reinforced Polyamide, 1783
**Harrup, M. K.** See Stewart, F. F., 1085
**Hasegawa, K.** See Kimura, H., 1551
**Hassiruzzaman, M.**
—; Khan, M. A.; Ali, K. M. I.: Improvement of Properties of Natural Polymers with Organo-Metallic Complexes Under Ultraviolet Radiation, 1131
**Hayakawa, Y.** See Sawada, H., 1101
**He, B.** See Li, B., 1203
**He, C.**
—; Griffin, A. C.; Windle, A. H.: Structure of Semirigid Polyamides with Bulky Groups in Backbone, 309
**Heiden, P.** See Wu, H., 151
**Heiden, P. A.** See Xu, J., 1065
**Heitz, C.**
—; Binana-Limbele, W.; François, J.; Biver, C.: Absorption and Desorption of Chromium Ions by Poly(acrylic acid) Gels, 455
**Hendrikse, K. G.** See Gradwell, M. H. S., 1235
**Hidalgo, M.** See Anasagasti, M., 621
**Higashiura, S.** See Shimizu, T., 1817
**Hiyoshi, T.** See Fukuda, M., 1249
**Hjärtstam, J.**
—; Hjertberg, T.: Effect of Hydroxyl Group Content in Ethyl Cellulose on Permeability in Free Films and Coated Membranes, 529
**Hjertberg, T.** See Hjärtstam, J., 529; Palmlöf, M., 521
**Hong, Y.-K.** See Chung, K.-H., 35
**Hongo, T.**
—; Inamoto, M.; Iwata, M.; Matsui, T.; Okajima, K.: Morphological and Structural Formation of

the Regenerated Cellulose Membranes Recovered from Its Cuprammonium Solution Using Aqueous Sulfuric Acid, 1669
**Hongou, T.** See Fukuda, M., 1249
**Hsieh, H. C.-C.** See Yang, W.-S., 1807
**Hu, Y.** See Xie, D.-L., 667
**Hubert, F.**
—; Durand, G.; Tersac, G.: Equilibria in the Alcoholysis Reactions of Terephthalic Esters and Chemical Valorization of Polyethyleneterephthalate Waste. I. Equilibrium Constants Determination, 329
**Hudson, S. M.** See Knaul, J. Z., 1721

**Iayadene, F.** See Maxim, S., 1387
**Ikemura, K.**
—; Endo, T.: Effect on Adhesion of New Polymerization Initiator Systems Comprising 5-Monosubstituted Barbituric Acids, Aromatic Sulfinate Amides, and *tert*-Butyl Peroxymaleic Acid in Dental Adhesive Resin, 1655
**Inamoto, M.** See Hongo, T., 1669
**Ishida, H.** See Okamoto, S., 1689
**Ismail, M. R.**
—; Ali, M. A. M.; El-Milligy, A. A.; Afifi, M. S.: Studies on Sand/Clay Unsaturated Polyester Composite Materials, 1031
**Iwata, M.** See Fukuda, M., 1249; Hongo, T., 1669
**Izumi, J.-I.** See Yoshikawa, M., 493

**Jaffe, M.** See Chung, T.-S., 1139
**Jegal, J.**
—; Lee, K.-H.: Nanofiltration Membranes Based on Poly(vinyl alcohol) and Ionic Polymers, 1755
**Jie-Rong, C.**
—; Xueyan, W.; Tomiji, W.: Wettability of Poly(ethylene Terephthalate) Film Treated with Low-Temperature Plasma and Their Surface Analysis by ESCA, 1327
**Jin, J.** See Suzuki, J., 103
**Jin, J. H.** See Kwon, O. H., 659
**Jin, X.** See Feng, Y., 1559
**Jing, X.** See Sun, Z., 1077
**Jo, W. H.** See Kim, S., 1055
**Joseph, R.** See Dreerman, E., 647; Nandanan, V., 487
**Jung, B.-O.** See Lee, Y. M., 1713
**Jung, H. C.** See Chun, Y. S., 733
**Jung, I. K.**
—; Lee, K. H.; Chin, I.-J.; Yoon, J. S.; Kim, M. N.: Properties of Biodegradable Copolyesters of Succinic Acid-1,4-Butanediol/Succinic Acid-1,4-Cyclohexanedimethanol, 553

**Kaang, S.** See Nah, C., 1513
**Kaji, M.**
—; Ogami, K.; Endo, T.: Synthesis of a Bifunctional Epoxy Monomer Containing Anthracene Moiety and Properties of Its Cured Polymer with Phenol Novolac, 953
**Kale, D. D.** See Kharade, A. Y., 1321
**Kamel, N. A.** See Abd El-Kader, F. H., 1395
**Kameswara Rao, A.** See Ravindra, R., 689
**Kamoun, C.** See Soulard, C., 277
**Kang, H. J.**
—; Park, S. S.: Characterization and Biodegradability of Poly(butylene adipate-*co*-succinate)/Poly(butylene terephthalate) Copolyester, 593
**Kang, T.-K.**
—; Kim, Y.; Lee, W.-K.; Park, H.-D.; Cho, W.-J.; Ha, C.-S.: Properties of Uncompatibilized and Compatibilized Poly(butylene terephthalate)–LLDPE Blends, 989
**Kato, A.** See Handa, K., 1783
**Kauser, N.**
—; Dos Santos, L.; Delgado, M.; Müller, A. J.; Sáez, A. E.: Flow of Mixtures of Poly(ethylene oxide) and Hydrolyzed Polyacrylamide Solutions Through Porous Media, 783
**Kawakami, K.** See Kono, K., 1763
**Kawase, T.** See Sawada, H., 1101
**Kemeroğlu, F.** See Pekcan, Ö., 981
**Kernaghan, K.** See Sharma, H. S. S., 1209
**Khan, A. A.** See Ravindra, R., 141, 689
**Khan, M. A.** See Hassiruzzaman, M., 1131
**Kharade, A. Y.**
—; Kale, D. D.: Lignin-Filled Polyolefins, 1321
**Khizhnyak, S.** See Kober, K., 1795
**Kiatkamjornwong, S.**
—; Phunchareon, P.: Influence of Reaction Parameters on Water Absorption of Neutralized Poly(acrylic acid-*co*-acrylamide) Synthesized by Inverse Suspension Polymerization, 1349
**Kiekens, P.** See Moharir, A. V., 269
**Kim, C.-H.** See Lee, Y. M., 1713
**Kim, J.** See Kim, S., 1055
**Kim, J.-J.** See Lee, Y. M., 1713
**Kim, J. K.**
—; Ro, H. S.; Park, J. W.: The Biological and Chemical Desulfurization of Crumb Rubber for the Rubber Compounding, 1543
**Kim, J. M.** See Choi, H. S., 1091
**Kim, J.-W.** See Lee, D.-H., 1305
**Kim, K.-S.**
—; Chung, S.; Chin, I.-J.; Kim, M.-N.; Yoon, J. S.: Crystallization Behavior of Biodegradable Amphiphilic Poly(ethylene glycol)-Poly(L-lactide) Block Copolymers, 341
**Kim, M. N.** See Jung, I. K., 553
**Kim, M.-N.** See Kim, K.-S., 341
**Kim, S.**
—; Kim, J.; Lim, S. H.; Jo, W. H.; Choe, C. R.: Effects of Mixing Temperatures on the Morphology and Toughness of Epoxy/Polyamide Blends, 1055
**Kim, W. N.** See Chun, Y. S., 733
**Kim, Y.** See Kang, T.-K., 989
**Kim, Y. J.**
—; Park, O. O.: Miscibilities and Rheological Properties of Poly(butylene succinate)–Poly(butylene terephthalate) Blends, 945
**Kimura, H.**
—; Matsumoto, A.; Hasegawa, K.; Fukuda, A.: New

Thermosetting Resin From Bisphenol A-Based Benzoxazine and Bisoxazoline, 1551
**Kino, Y.** See Suzuki, J., 103
**Kishida, A.** See Seto, F., 1583
**Kishimoto, K.** See Notomi, M., 435
**Kitamura, Y.** See Matsuyama, H., 397
**Kizilcan, N.**
Ketonic Resins as Free Radical Photoinitiators, 927
**Klumperman, B.** See Philipsen, H. J. A., 183
**Knaul, J. Z.**
—; Hudson, S. M.; Creber, K. A. M.: Improved Mechanical Properties of Chitosan Fibers, 1721
**Kober, K.**
—; Khizhnyak, S.; Pachomov, P.; Tshmel, A.: Low-Frequency Raman Evidence for Straight Chain Segments in a UHMW Polyethylene Gel, 1795
**Koh, S.-K.** See Han, S., 41
**Koizumi, T.** See Notomi, M., 435
**Kojima, Y.**
—; Matsuoka, T.; Takahashi, H.: High-Pressure Synthesis of Cyclic Mesitylacetylene Oligomer, 1539
**Komber, H.** See Luston, J., 1047
**Kong, X. Z.** See Ruckenstein, E., 419
**Kono, K.**
—; Kawakami, K.; Morimoto, K.; Takagishi, T.: Effect of Hydrophobic Units on the pH-Responsive Release Property of Polyelectrolyte Complex Capsules, 1763
**Koyama, K.** See Takahashi, T., 961
**Kurachi, M.** See Sawada, H., 1101
**Kurihara, S.** See Uemura, Y., 371
**Kwon, O. H.**
—; Nho, Y. C.; Jin, J. H.; Lee, M. J.; Lee, Y. M.: Graft Polymerization of Methyl Methacrylate onto Radiation-Peroxidized Ultrahigh Molecular Weight Polyethylene in the Presence of Metallic Salt and Acid, 659

**Ladavière, C.**
—; Delair, T.; Domard, A.; Pichot, C.; Mandrand, B.: Covalent Immobilization of Bovine Serum Albumin onto (Maleic Anhydride–*alt*-Methyl Vinyl Ether) Copolymers, 1565
**Laverty, B.** See Gagné, S., 1601
**Lazzeri, L.** See Barbani, N., 971
**Lebedeva, O. V.** See Volynskii, A. L., 1267
**Lee, C.-T.** See Lin, M.-S., 585
**Lee, D.-H.**
—; Kim, J.-W.; Suh, K.-D.: Amphiphilic Urethane Acrylate Hydrogels: pH Sensitivity and Drug-Releasing Behaviors, 1305
**Lee, H. J.** See Choi, H. D., 75
**Lee, H. K.** See Chun, H. J., 251
**Lee, H. S.** See Chun, Y. S., 733
**Lee, K.-H.** See Jegal, J., 1755
**Lee, K. H.** See Jung, I. K., 553
**Lee, K.-J.** See Choi, H. S., 1091
**Lee, M. J.** See Kwon, O. H., 659
**Lee, S. S.-G.** See Lye, S.-W., 721
**Lee, W.-F.**
—; Tu, Y.-M.: Superabsorbent Polymeric Materials. VI. Effect of Sulfobetaine Structure on Swelling Behavior of Crosslinked Poly(sodium acrylate-*co*-sulfobetaines) in Aqueous Salt Solutions, 1221
**Lee, W.-K.** See Kang, T.-K., 989
**Lee, Y. M.**
—; Jung, B.-O.; Kim, C.-H.; Choi, K.-S.; Kim, J.-J.: Preparation of Amphilphilic Chitosan and Their Antimicrobial Activities, 1713
—; See Chun, H. J., 251; Kwon, O. H., 659; Nam, S. Y., 241
**Li, B.**
—; Ding, D.; Wang, Y.; Sun, P.; Ma, J.; He, B.: NMR Characterization of Absorbed Water in Equilibrium Swollen Hydrogel P(Am-NaA), 1203
**Li, F.**
—; Li, Y.; Guo, Z.; Long, C.; Bai, F.; Zhu, D.: Photoconductivity of 1,2-(1′,1′,2′,2′-Tetracyano-methanoxymethano)[60] fullerene-Doped PVK, 209
**Li, J.** See Sun, Z., 1077
**Li, J. X.**
—; Cheung, W. L.: $RuO_4$ Staining and Lamellar Structure of $\alpha$- and $\beta$-PP, 1529
**Li, M.** See Wang, G., 577
**Li, Y.** See Li, F., 209
**Liang, L.**
—; Feng, X.; Liu, J.; Rieke, P. C.: Preparation of Composite-Crosslinked Poly(*N*-isopropylacrylamide) Gel Layer and Characteristics of Reverse Hydrophilic–Hydrophobic Surface, 1
**Lim, S. H.** See Kim, S., 1055
**Lin, M.-S.**
—; Liu, C.-C.; Lee, C.-T.: Toughened Interpenetrating Polymer Network Materials Based on Unsaturated Polyester and Epoxy, 585
**Lin, W.** See Chung, T.-S., 379
**Liu, C.-C.** See Lin, M.-S., 585
**Liu, H.** See Yin, W., 95
**Liu, J.** See Liang, L., 1
**Liu, J.-H.**
—; Tsai, F.-J.: Optical Resolution of Some Racemates by HPLC Using Chiral Polymers Having (+)-5-Oxobornyl Moieties, 677
**Liu, W.-M.** See Zhang, Z.-Z., 361, 751
**Liu, Y.** See Wu, H., 151
**Long, C.** See Li, F., 209
**Lonikar, S. V.** See Shaikh, V. A. E., 763
**López-Alemany, A.** See Compañ, V., 321
**López, M. L.** See Compañ, V., 321
**Louwagie, J.** See Moharir, A. V., 269
**Lu, Q.-H.**
—; Yin, J.; Xu, H.-J.; Zhang, J.-M.; Sun, L.-M.; Zhu, Z.-K.; Wang, Z.-G.: Preparation and Properties of Organo-Soluble Polyimides Based on 4,4′-Diamino-3,3-dimethyldiphenylmethane and Conventional Dianhydrides, 1299
**Luca, C.** See Maxim, S., 1387
**Luston, J.**
—; Böhme, F.; Komber, H.; Pompe, G.: Unsaturated 2-Oxazoline End Capping of Liquid Crystalline Polyester by Reactive Processing and in a Solution, 1047
**Lye, S.-W.**
—; Lee, S. S.-G.: Redesigning Protective Packaging Buffers from the Failure Modes

Derived from Crack Characteristics, 721

**Ma, J.** See Li, B., 1203
**Ma, R.** See Gao, G., 683
**Maazouz, A.** See Bécu-Longuet, L., 849
**Maekawa, T.** See Sawada, H., 1101
**Makuuchi, K.** See Ratnam, C. T., 1421; Zainuddin, 1277, 1283
**Maldar, N. N.** See Shaikh, V. A. E., 763
**Mallapragada, S. K.** See Ngui, M. O., 1913
**Mamdouh, M.** See El-Salmawi, K., 509
**Mancarella, C.** See D'Orazio, L., 701, 1429
**Mandrand, B.** See Ladavière, C., 1565
**Manna, A. K.**
—; Tripathy, D. K.; De, P. P.; De, S. K.; Chatterjee, M. K.; Peiffer, D. G.: Bonding between Epoxidized Natural Rubber and Clay in Presence of Silane Coupling Agent, 1895
**Mariani, M. C.** See Goyanes, S. N., 1379
**Martinet, F.**
—; Guillot, J.: Copolymerization of α-Methylstyrene with Methyl Methacrylate. III. Emulsion Process: Experimental Data on Kinetics, Particle Size, Composition, Molecular Weight, and Glass Transition Temperature, 1627
—; Guillot, J.: Copolymerization with Depropagation: Prediction of Kinetics and Properties of α-Methylstyrene–Methyl Methacrylate Copolymers. II. Bulk Copolymerization, 1611
**Martuscelli, E.** See D'Orazio, L., 701, 1429
**Marzocca, A. J.** See Goyanes, S. N., 1379
**Mathew, J.** See Al-Haddad, A., 467
**Mathur, D.**
—; Nauman, E. B.: Impact Strength of Bulk PS/PB Blends: Compatibilization and Fracture Studies, 1151
—; Nauman, E. B.: The Effect of Diblocks and Ripening on the Izod Impact of Bulk PS/PB Blends, 1165
**Matsui, T.** See Hongo, T., 1669
**Matsumoto, A.** See Kimura, H., 1551
**Matsuoka, T.** See Kojima, Y., 1539
**Matsuura, T.** See Gagné, S., 1601
**Matsuyama, H.**
—; Kitamura, Y.; Naramura, Y.: Diffusive Permeability of Ionic Solutes in Charged Chitosan Membrane, 397
**Mauler, R. S.** See Nachtigall, S. M. B., 1313
**Maxim, S.**
—; Flondor, A.; Bunea, I.; Luca, C.; Rabia, I.; Zerouk, J.; Iayadene, F.; Guettaf, H.: Acrylic Three-Dimensional Networks. II. Behavior of Different Acrylic Ion Exchangers in the Retention and Elution Processes of Some Metal Cations, 1387
**McCall, D.** See Sharma, H. S. S., 1209
**McGill, W. J.**
—; Shelver, S. R.: The Effect of Carboxylic Acids on 2-Bisbenzothiazole-2,2′-Disulfide and Tetramethylthiuram Disulfide Accelerated Sulfur Vulcanization. 1. Reaction between the Acids and Accelerators, 999
—; Shelver, S. R.: Effect of Carboxylic Acids on 2-Bisbenzothiazole-2,2′-Disulfide- and Tetramethylthiuram Disulfide-Accelerated Sulfur Vulcanization. II. Vulcanization of Polyisoprene in the Absence of ZnO, 1007
—; Shelver, S. R.: Effect of Carboxylic Acids on 2-Bisbenzothiazole-2,2′-Disulfide- and Tetramethylthiuram Disulfide-Accelerated Sulfur Vulcanization. III. Reaction Between Accelerators and Zinc Salts of the Acids, 1013
—; Shelver, S. R.: Effect of Carboxylic Acids on 2-Bisbenzothiazole-2,2′-Disulfide- and Tetramethylthiuram Disulfide-Accelerated Sulfur Vulcanization. IV. Vulcanization of Polyisoprene Compounds with ZnO, 1021
—; See Gradwell, M. H. S., 1235
**Mecholsky, J. J., Jr.** See Plangsangmas, L., 257
**Mehrabzadeh, M.**
—; Nia, K. H.: Impact Modification of Polypropylene by Ethylene Propylene Copolymer-Grafted Maleic Anhydride, 1257
**Meng, Y. Z.** See Tjong, S. C., 501, 1647
**Mijangos, C.** See Anasagasti, M., 621
**Mills, O. P.** See Xu, J., 1065
**Mitra, B. C.** See Rana, A. K., 935
**Miyazaki, M.** See Fukuda, M., 1249
**Mizutani, Y.**
—; Nago, S.: Microporous Polypropylene Films Containing Ultrafine Silica Particles, 1489
**Moharir, A. V.**
—; van Langenhove, L.; van Nimmen, E.; Louwagie, J.; Kiekens, P.: Stability of X-ray Cellulose Crystallite Orientation Parameters in Native Cotton with Change of Location and Year of Growth, 26?
**Mondragon, I.** See Franco, M., 427
**Montville, D.** See Wang, J., 1851
**Morbidelli, M.** See Siani, A., 1451
**Morimoto, K.** See Kono, K., 1763
**Moritake, I.** See Uemura, Y., 371
**Moszner, N.**
—; Zeuner, F.; Völkel, T.; Fischer, U. K.; Rheinberger, V.: Polymerization of Cyclic Monomers. VII. Synthesis and Radical Polymerization of 1,3-Bis[(1-alkoxycarbonyl-2-vinylcyclopropane-1-yl)carboxy]benzenes, 1775
**Mukhopadhyay, S. K.** See Nkiwane, L., 1505
**Müller, A. J.** See Kauser, N., 783
**Muraoka, Y.** See Seto, F., 1583

**Nachtigall, S. M. B.**
—; Stedile, F. C.; Felix, A. H. O.; Mauler, R. S.: Polypropylene Functionalization with Vinyltriethoxysilane, 1313

**Nago, S.** See Mizutani, Y., 1489
**Nah, C.**
—; Park, J. H.; Cho, C. T.; Chang, Y.-W.; Kaang, S.: Specific Heats of Rubber Compounds, 1513
**Naik, H. G.** See Aminabhavi, T. M., 349, 1291
**Nam, S. Y.**
—; Chun, H. J.; Lee, Y. M.: Pervaporation Separation of Water–Isopropanol Mixture Using Carboxymethylated Poly(vinyl alcohol) Composite Membranes, 241
**Nandanan, V.**
—; Joseph, R.; George, K. E.: Rubber Seed Oil: A Multipurpose Additive in NR and SBR Compounds, 487
**Naqvi, F.** See Ahamad, S., 1679
**Naramura, Y.** See Matsuyama, H., 397
**Narayan, R.** See Carlson, D., 477
**Narisawa, I.** See Handa, K., 1783
**Narkis, M.** See Dreerman, E., 647
**Nascimento, C. A. O.**
—; Giudici, R.; Scherbakoff, N.: Modeling of Industrial Nylon-6,6 Polymerization Process in a Twin-Screw Extruder Reactor. II. Neural Networks and Hybrid Models, 905
**Nauman, E. B.** See Mathur, D., 1151, 1165
**Nazábal, J.** See Gaztelumendi, M., 85; Guerrica-Echevarría, G., 1113
**Ngui, M. O.**
—; Mallapragada, S. K.: Mechanistic Investigation of Drying Regimes During Solvent Removal from Poly(vinyl alcohol) Films, 1913
**Nho, Y. C.** See Kwon, O. H., 659
**Nia, K. H.** See Mehrabzadeh, M., 1257
**Nie, L.** See Carlson, D., 477
**Nikolaeva, O.**
—; Budtova, T.; Brestkin, Yu.; Zoolshoev, Z.; Frenkel, S.: Rheological Properties of an Interpolymer Complex Formed Between Poly(acrylic acid) and Methyl Cellulose, 1523
**Ninan, K. N.** See Bandyopadhyay, G. G., 165
**Nkiwane, L.**
—; Mukhopadhyay, S. K.: Mathematical Representation of Creep for High-Temperature Performance of Nylon6.6 Tire Materials, 1505
**Nonaka, T.** See Uemura, Y., 371
**Notomi, M.**
—; Kishimoto, K.; Shibuya, T.; Koizumi, T.: Effects of Moisture Absorption on Fracture Behaviors of Acrylonitrile-Butadiene-Styrene Resin, 435
**Nouri, M.** See Haghighat Kish, M., 631
**Nunez, L.**
—; Nunez, M. R.; Fraga, F.; Taboada, J.; Villanueva, M.: The Influence of Lixiviates on the Thermal Degradation of BADGE $n$ = 0/1,2 Diaminecyclohexane Studied by DMA and Thermogravimetry-FTIR, 443
**Nunez, M. R.** See Nunez, L., 443

**Obendorf, S. K.** See Borsa, J., 203
**Ogami, K.** See Kaji, M., 953
**Ohguchi, M.** See Shimizu, T., 1817
**Okajima, K.** See Hongo, T., 1669
**Okamoto, S.**
—; Ishida, H.: A New Theoretical Equation for Thermal Conductivity of Two-Phase Systems, 1689
**Ooi, T.** See Yoshikawa, M., 493
**Ozerin, A. N.** See Volynskii, A. L., 1267

**Pachomov, P.** See Kober, K., 1795
**Palmlöf, M.**
—; Hjertberg, T.: Catalysis of the Crosslinking Reactions of Ethylene Vinyl Silane Copolymers Using Carboxylic Acids and DBTDL, 521
**Parisi, J.-P.** See Brondino, C., 611
**Park, C. S.** See Choi, H. D., 75
**Park, H.-D.** See Kang, T.-K., 989
**Park, J.**
—; Park, J.-G.; Ha, C.-S.; Cho, W.-J.: Syntheses and Properties of *N*-Vinylpyrrolidione-*g*-EPDM and Its Modified Polymer, 1177
**Park, J.-G.** See Park, J., 1177
**Park, J. H.** See Nah, C., 1513
**Park, J. W.** See Kim, J. K., 1543
**Park, O. O.** See Kim, Y. J., 945
**Park, S. S.** See Kang, H. J., 593
**Peiffer, D. G.** See Manna, A. K., 1895
**Pekcan, Ö.**
—; Kemeroğlu, F.: Photon Transmission Method for Studying Void-Closure Kinetics During Coalescence of Hard Latex Particles, 981
**Philipsen, H. J. A.**
—; Wubbe, F. P. C.; Klumperman, B.; German, A. L.: Microstructural Characterization of Aromatic Copolyesters Made by Step Reactions, by Gradient Polymer Elution Chromatography, 183
**Phunchareon, P.** See Kiatkamjornwong, S., 1349
**Pichot, C.** See Bécu-Longuet, L., 849; Ladavière, C., 1565
**Pizzi, A.** See Soulard, C., 277
**Pizzirani, G.** See Barbani, N., 971
**Plangsangmas, L.**
—; Mecholsky, J. J., Jr.; Brennan, A. B.: Determination of Fracture Toughness of Epoxy Using Fractography, 257
**Plavšić, M.** See Ristić, R., 835
**Polacco, G.** See Barbani, N., 971
**Pompe, G.** See Luston, J., 1047
**Ponrathnam, S.** See Shaikh, V. A. E., 763
**Pooley, S. A.** See Rivas, B. L., 741

**Rabia, I.** See Maxim, S., 1387
**Radonjič, G.**
Compatibilization Effects of Styrenic/Rubber Block Copolymers in Polypropylene/Polystyrene Blends, 291
**Rajan, C. R.** See Shaikh, V. A. E., 763
**Rana, A. K.**
—; Mitra, B. C.; Bannerjee, A. N.: Effect of Acetylation on Dimensional Stability, Mechanical, and Dynamic Properties of Jute Board, 935
**Rao, A. K.** See Ravindra, R., 141
**Ratnam, C. T.**
—; Zaman, K.; Yoshii, F.; Makuuchi, K.: Hydrogel Coating of RVNRL Film by

Electron-Beam Irradiation, 1421
**Ravichandran, V.** See Borsa, J., 203
**Ravindra, R.**
—; Kameswara Rao, A.; Khan, A. A.: A Qualitative Evaluation of Water and Monomethyl Hydrazine in Ethylcellulose Membrane, 689
—; Rao, A. K.; Khan, A. A.: Processing of Liquid Propellant Reaction Liquors by Pervaporation, 141
**Razzak, M. T.** See Zainuddin, 1277, 1283
**Refojo, M. F.** See Compañ, V., 321
**Rheinberger, V.** See Moszner, N., 1775
**Rieke, P. C.** See Liang, L., 1
**Rimlinger, T.** See Fenouillot, F., 1589
**Rissler, K.** See Fuchslueger, U., 913
**Ristić, R.**
—; Vrhovac, L.; Plavšić, M.: The Influence of Stabilizers on Mechanochemical Processes in SBR Rubbers, 835
**Rivas, B. L.**
—; Pooley, S. A.; Soto, M.; Geckeler, K. E.: Water-Soluble Copolymers of 1-Vinyl-2-pyrrolidone and Acrylamide Derivatives: Synthesis, Characterization, and Metal Binding Capability Studied by Liquid-Phase Polymer-Based Retention Technique, 741
**Rizk, M. S.** See Abd El-Kader, F. H., 1395
**Ro, H. S.** See Kim, J. K., 1543
**Ruckenstein, E.**
—; Kong, X. Z.: Control of Pore Generation and Pore Size in Nanoparticles of Poly(styrene-methyl methacrylate-acrylic acid), 419

**Sadovsky, J.** See Silverstein, M. S., 405
**Sáenz de Buruaga, A.**
—; de la Cal, J. C.; Asua, J. M.: Continuous Inverse Microemulsion Polymerization, 1341
**Sáez, A. E.** See Kauser, N., 783
**Sano, T.** See Suzuki, J., 103
**Saraç, A. S.**
—; Yavuz, Ö.; Sezer, E.: Electrochemically Induced Redox Polymerization of Acrylamide, 861
**Sarwade, B. D.**
—; Singh, R. P.: Morphology of Photodegraded Heterophasic Ethylene–Propylene Copolymers, 215
**Sautereau, H.** See Bécu-Longuet, L., 849
**Sawada, H.**
—; Kurachi, M.; Maekawa, T.; Kawase, T.; Hayakawa, Y.; Takishita, K.; Tanedani, T.: Synthesis and Properties of Novel Perfluorocyclohexylated Compounds with bis(Perfluorocyclohexane Carbonyl) Peroxide, 1101
**Scherbakoff, N.** See Nascimento, C. A. O., 905
**Schrynemackers, J.** See Brondino, C., 611
**Seguela, R.** See Staniek, E., 1241
**Seppälä, J.** See Anttila, U., 877; Vocke, C., 1443
**Serra, A.** See Castell, P., 537
**Seto, F.**
—; Muraoka, Y.; Akagi, T.; Kishida, A.; Akashi, M.: Surface Grafting of Poly(vinylamine) onto Poly(ethylene) Film by Corona Discharge-Induced Grafting, 1583
**Sezer, E.** See Saraç, A. S., 861
**Shabana, H. M.** See Fouda, I. M., 1185
**Shaikh, V. A. E.**
—; Maldar, N. N.; Lonikar, S. V.; Rajan, C. R.; Ponrathnam, S.: Thermotropic Liquid Crystalline Behavior of Cholesterol-Linked Hydroxyethyl Cellulose, 763
**Shaosheng, D.**
—; Yuezhen, W.; Zhiqian, Z.: Study on the Synthesis of Heat-Resistant PMMA, 1335
**Sharma, H. S. S.**
—; McCall, D.; Kernaghan, K.: Scanning Electron Microscopy, X-ray Microanalysis, and Thermogravimetric Assessment of Linen Fabrics Treated with Crease-Resisting Compound, 1209
**Shelver, S. R.** See McGill, W. J., 999, 1007, 1013, 1021
**Shen, Q.-D.** See Xie, D.-L., 667
**Shen, W.-C.** See Zhang, Z.-Z., 361, 751
**Shibuya, T.** See Notomi, M., 435
**Shim, H. W.** See Choi, H. D., 75
**Shimizu, T.**
—; Higashiura, S.; Ohguchi, M.: Preparation of an Acrylics-Grafted Polyester and Its Aqueous Dispersion, 1817
**Shinn, K. S.** See Chun, H. J., 251
**Shiono, T.** See Suzuki, J., 103
**Siani, A.**
—; Storti, G.; Morbidelli, M.: Procedure for Calibrating an Ultrasonic Sensor for Online Monitoring of Conversion in Latex Reactors, 1451
**Siegmann, A.** See Dreerman, E., 647
**Silverstein, M. S.**
—; Sadovsky, J.; Alon, D.; Wahad, V.: Wetting of Oriented and Etched Ultrahigh Molecular Weight Polyethylene, 405
**Simon, G. P.** See Gonis, J., 1479
**Singh, R. P.** See Sarwade, B. D., 215
**Soares, B. G.**
—; Colomvaretti, R. S. C.: Melt Functionalization of EVA Copolymers with Maleic Anhydride, 1799
**Soga, K.** See Suzuki, J., 103
**Sonnenschein, M. F.**
Hollow Fiber Microfiltration Membranes from Poly(ether ether ketone) (PEEK), 175
**Soto, M.** See Rivas, B. L., 741
**Soulard, C.**
—; Kamoun, C.; Pizzi, A.: Uron and Uron–Urea-Formaldehyde Resins, 277
**Staniek, E.**
—; Seguela, R.; Escaig, B.; François, P.: Plastic Behavior of Monoclinic Polypropylene under Hydrostatic Pressure in Compressive Testing, 1241
**Stedile, F. C.** See Nachtigall, S. M. B., 1313
**Stephan, H.** See Fuchslueger, U., 913

**Stewart, F. F.**
—; Harrup, M. K.: Phosphazene Monomers from the Stereospecific Reaction of *tert*-Butylhydroquinone with Hexachlorocyclotriphosphazene: A New Composite Material Precursor, 1085
**Sticotti, G.** See D'Orazio, L., 701
**Stoffer, J. O.** See Chou, H. C. J., 797, 827
**Storti, G.** See Siani, A., 1451
**Sudradjat, A.** See Zainuddin, 1277
**Suh, K.-D.** See Lee, D.-H., 1305
**Suh, T. S.** See Chun, H. J., 251
**Sun, L.-M.** See Lu, Q.-H., 1299
**Sun, P.** See Li, B., 1203
**Sun, Z.**
—; Geng, Y.; Li, J.; Wang, X.; Jing, X.; Wang, F.: Catalytic Oxidization Polymerization of Aniline in an $H_2O_2$—$Fe^{2+}$ System, 1077
**Suzuki, J.**
—; Kino, Y.; Uozumi, T.; Sano, T.; Teranishi, T.; Jin, J.; Soga, K.; Shiono, T.: Synthesis and Functionalization of Poly(ethylene-*co*-dicyclopentadiene), 103
**Sweeney, J.**
—; Collins, T. L. D.; Coates, P. D.; Duckett, R. A.: High-Temperature Large Strain Viscoelastic Behavior of Polypropylene Modeled Using an Inhomogeneously Strained Network, 563

**Taboada, J.** See Nunez, L., 443
**Takagishi, T.** See Kono, K., 1763
**Takahashi, H.** See Kojima, Y., 1539
**Takahashi, T.**
—; Takimoto, J.-I.; Koyama, K.: Elongational Viscosity for Miscible and Immiscible Polymer Blends. II. Blends with a Small Amount of UHMW Polymer, 961
**Takimoto, J.-I.** See Takahashi, T., 961
**Takishita, K.** See Sawada, H., 1101
**Tanedani, T.** See Sawada, H., 1101
**Tang, X.** See Gao, G., 683
**Taverdet, J.-L.** See Bichara, A., 49
**Tawansi, A.**
—; Ayad, M. I.; Abdel-Razek, E. M.: Effect of Valence Electron Spin Polarization on the Physical Properties of $CuCl_2$-Filled Poly(vinylidene fluoride) as a Microwave Modulator, 771
**Teranishi, T.** See Suzuki, J., 103
**Terrisse, J.** See Fenouillot, F., 1589
**Tersac, G.** See Hubert, F., 329
**Thomas, S.** See Bandyopadhyay, G. G., 165
**Thombre, S. M.** See Garnaik, B., 123
**Tian, B.** See Dong, C., 639
**Tinçer, T.** See Aydinli, B., 1843
**Tjong, S. C.**
—; Meng, Y. Z.: Mechanical and Thermal Properties of Polycarbonate Composites Reinforced with Potassium Titanate Whiskers, 501
—; Xu, Y.; Meng, Y. Z.: Composites Based on Maleated Polypropylene and Methyl Cellulosic Fiber: Mechanical and Thermal Properties, 1647
**Tomiji, W.** See Jie-Rong, C., 1327
**Toppare, L.** See Aydinli, B., 1843
**Tripathy, D. K.** See Manna, A. K., 1895
**Tsai, F.-J.** See Liu, J.-H., 677
**Tseng, T.-W.** See Chang, S.-J., 109
**Tshmel, A.** See Kober, K., 1795
**Tsiang, R. C.-C.** See Yang, W.-S., 1807
**Tu, Y.-M.** See Lee, W.-F., 1221

**Uemura, Y.**
—; Moritake, I.; Kurihara, S.; Nonaka, T.: Preparation of Resins Having Various Phosphonium Groups and Their Adsorption and Elution Behavior for Anionic Surfactants, 371
**Uozumi, T.** See Suzuki, J., 103

**van Langenhove, L.** See Moharir, A. V., 269
**van Nimmen, E.** See Moharir, A. V., 269
**Verma, K. L.** See Ahamad, S., 1679
**Villanueva, M.** See Nunez, L., 443
**Viney, C.** See Carmichael, S., 895
**Vocke, C.**
—; Anttila, U.; Seppälä, J.: Compatibilization of Polyethylene/Polyamide 6 Blends with Oxazoline-Functionalized Polyethylene and Styrene Ethylene/Butylene Styrene Copolymer (SEBS), 1443
—; See Anttila, U., 877
**Völkel, T.** See Moszner, N., 1775
**Volynskii, A. L.**
—; Bazhenov, S.; Lebedeva, O. V.; Ozerin, A. N.; Bakeev, N. F.: Multiple Cracking of Rigid Platinum Film Covering Polymer Substrate, 1267
**Vrhovac, L.** See Ristić, R., 835

**Wahad, V.** See Silverstein, M. S., 405
**Wang, F.** See Sun, Z., 1077
**Wang, G.**
—; Li, M.; Chen, X.: Effects of Fillers on Mechanical Properties of a Water-Swellable Rubber, 577
**Wang, J.**
—; Montville, D.; Gonsalves, K. E.: Synthesis of Polycarbonate-*co*-Poly(*p*-ethylphenol) and CdS Nanocomposites, 1851
—; See Gao, G., 683
**Wang, X.** See Sun, Z., 1077
**Wang, Y.** See Li, B., 1203; Xu, Y., 1495
**Wang, Z.-G.** See Lu, Q.-H., 1299
**Wei, W.** See Cui, S., 1039
**Windle, A. H.** See He, C., 309
**Wu, H.**
—; Xu, J.; Liu, Y.; Heiden, P.: Investigation of Readily Processable Thermoplastic-Toughened Thermosets. V. Epoxy Resin Toughened with Hyperbranched Polyester, 151
—; See Xu, J., 1065
**Wubbe, F. P. C.** See Philipsen, H. J. A., 183

**Xie, D.-L.**
—; Hu, Y.; Shen, Q.-D.; Yang, C.-Z.: Study of Polyfunctional Carboxyl Telechelic Microspheres, 667

**Xu, H.-J.** See Lu, Q.-H., 1299
**Xu, J.**
—; Wu, H.; Mills, O. P.; Heiden, P. A.: A Morphological Investigation of Thermosets Toughened with Novel Thermoplastics. Part I. Bismaleimide Modified with Hyperbranched Polyester, 1065
—; See Wu, H., 151
**Xu, Y.**
—; Yuan, C.; Wang, Y.; Cao, T.; Cao, P.: Mechanism and Grafting Reactions in Seeded Emulsion Polymerization with Emulsified Monomer Feeding, 1495
—; See Tjong, S. C., 1647
**Xu, Z.-L.** See Chung, T.-S., 379
**Xue, Q.-J.** See Zhang, Z.-Z., 361, 751
**Xueyan, W.** See Jie-Rong, C., 1327

**Yadav, S.** See Ahamad, S., 1679
**Yang, C.-Z.** See Xie, D.-L., 667
**Yang, W.-S.**
—; Hsieh, H. C.-C.; Tsiang, R. C.-C.: Efficiencies of Various Metallocene/Reducing Agent Catalyst Systems in the Hydrogenation of Polystyrene-*b*-Polybutadiene-*b*-Polystyrene Block Copolymers, 1807
**Yang, Y.** See Zhang, J., 59
**Yavuz, Ö.** See Saraç, A. S., 861
**Yin, J.** See Gao, G., 683; Lu, Q.-H., 1299
**Yin, W.**
—; Liu, H.; Gan, L. H.: Surface Structure of Conductive Polypyrrole-Containing Composites, 95
**Yin, Z.** See Gao, G., 683
**Yoon, H. G.** See Choi, H. D., 75
**Yoon, J. S.** See Jung, I. K., 553; Kim, K.-S., 341
**Yoon, K. H.** See Han, S., 41
**Yoshii, F.** See Ratnam, C. T., 1421; Zainuddin, 1277, 1283
**Yoshikawa, M.**
—; Ooi, T.; Izumi, J.-I.: Alternative Molecularly Imprinted Membranes from a Derivative of Natural Polymer, Cellulose Acetate, 493
**Yu, X.** See Gao, G., 683
**Yuan, C.** See Xu, Y., 1495
**Yuezhen, W.** See Shaosheng, D., 1335

**Zainuddin**
—; Razzak, M. T.; Yoshii, F.; Makuuchi, K.: Polyblend CPP and Bionolle with PP-*g*-MAH as Compatibilizer. II. Biodegradability, 1283
—; Sudradjat, A.; Razzak, M. T.; Yoshii, F.; Makuuchi, K.: Polyblend CPP and Bionolle with PP-*g*-MAH as Compatibilizer: I. Compatibility, 1277
**Zaman, K.** See Ratnam, C. T., 1421
**Zerouk, J.** See Maxim, S., 1387
**Zeuner, F.** See Moszner, N., 1775
**Zhang, H.** See Zhang, J., 59
**Zhang, J.**
—; Zhang, H.; Yang, Y.: Polymerization-Induced Bimodal Phase Separation in a Rubber-Modified Epoxy System, 59
**Zhang, J.-M.** See Lu, Q.-H., 1299
**Zhang, X.** See Gao, G., 683
**Zhang, Z.-Z.**
—; Xue, Q.-J.; Liu, W.-M.; Shen, W.-C.: Effect of Rare Earth Compounds as Fillers on Friction and Wear Behaviors of PTFE-Based Composites, 361
—; Xue, Q.-J.; Liu, W.-M.; Shen, W.-C.: Friction and Wear Characteristics of Metal Sulfides and Graphite-Filled PTFE Composites Under Dry and Oil-Lubricated Conditions, 751
**Zhao, Z.** See Cui, S., 1039
**Zhiqian, Z.** See Shaosheng, D., 1335
**Zhu, D.** See Li, F., 209
**Zhu, Z.-K.** See Lu, Q.-H., 1299
**Zoolshoev, Z.** See Nikolaeva, O., 1523

# Journal of Applied Polymer Science

# Subject Index—Volume 72


ABS, 683
ABS resin, 435
Absorbed water, 1203
Acetylation, 935
Acoustic intensity, 797
Acrylamide, 251, 861
Acrylic acid, 251
Acrylic ion exchangers, 1387
Acrylonitrile, 887
Activating agent, 1039
Activation energy, 1479
Activator, 487
Adhesion, 41, 611, 1655
Adsorption, 371, 455
Aging, 689
Air-gap distance effect, 379
Alcoholysis reactions, 329
Aliphatic/alicyclic copolyester, 553
Alkaline treatment, 631
2-(4-Allyloxyphenyl)-2-oxazoline, 1047
Alumina, 1679
Amino acids, 493
Amphilphilic chitosan, 1713
Amphiphilic urethane acrylate hydrogels, 1305
Anionic surfactants, 371
Annealing, 1869
Anthracene derivative, 953
Anticorrosive, 1679
Antimicrobial activity, 1713
Antithrombogenicity, 1249
Aqueous dispersion, 1817
Aqueous medium, 1565
Aqueous salt solutions, 1221
Aqueous solutions, 871
Aromatic sulfinate amide, 1655
Autoclave processable, 151

Benzoic acid, 999
Benzoic acid, 1013, 1021
Benzoin, 927
Benzoin isobutyl ether, 927
Benzoxazine, 1551
Bimodal phase separation, 59
Bioartificial polymeric materials, 971
Biocompatibility, 1249
Biodegradability, 341, 553, 593, 1283
Bionolle, 1277
Birefringence, 895, 1185
2-Bisbenzothiazole-2,2′-disulfide, 999, 1007, 1013, 1021
Bis($\eta^5$-cyclopentadienyl)cobalt, 1807
Bis($\eta^5$-cyclopentadienyl)nickel, 1807
Bis($\eta^5$-cyclopentadienyl)titanium dichloride, 1807
Bisoxazoline, 1551
Bis(Perfluorocyclohexane carbonyl) peroxide, 1101
Blend, 733
Blend membrane, 379
Blends, 85, 165, 291, 427, 509, 683, 701, 961, 989, 1055, 1113, 1165, 1257, 1429
Block copolymer, 1807
Block length, 593
Blocky nature, 123
BMI, 1065
Bovine serum albumine, 1565
Branching, 123
Bulk kinetics, 1611
Butadiene, 1807
1-Butanethiol, 1589

$^{13}$C NMR spectroscopy, 741
Calcium hydroxide, 631
ε-Caprolactone, 667
Carbon black, 1513
Carbon black dispersion, 1379
Carboxylic acids, 521, 1007
Carboxymethylation, 203
Catalysis, 521
Catalytic oxidization polymerization, 1077
Cellulose, 269
Cerium(IV)–oxalic acid redox couple, 861
Chain scission, 215
Characterizations, 109
Chemical composition distribution, 183
Chemical structure, 835
Cheng-Vachon equation, 1689
Chiral polymers, 677
Chiral recognition, 493
Chitosan, 141, 1713
Chitosan fibers, 1721
Chitosan membrane, 397
Chromatography, 183
Chromic acid etching, 405
Chromium ions, 455
Clay, 1895
CMPVA composite membranes, 241
Coating, 1267, 1421, 1679
Cold drawing, 1869
Collagen, 971
Compatibility, 585, 1277
Compatibilization, 291, 989, 1443, 1827
Compatibilizer, 683
Complex modulus, 1905
Complex permittivity, 1573
Composite, 75, 1689
Composite particles, 1495
Composites, 1031, 1085, 1647
Compressive strength, 35
Concrete, 35
Conductive composite, 95, 1843
Constitutive equation, 563
Continuous stirred tank reactor, 1341
Control of pore generation, 419
Copolyester, 183
Copolymer properties, 1627
Copolymerization, 227, 1851
Copolymerization of ethylene and dicyclopentadiene, 103
Copolymerization reactivity ratio, 1817
Core–shell particles, 849
Corona discharge treatment, 1583
Cotton, 203, 269
Coupling agent, 501, 1647
Coupling bonds, 1895
CPP, 1277
Crack ratio, 721
Cracking, 1267
Craze, 435
Craze plasticity, 13
Crease recovery, 1209
Creep, 1505
Creep and recovery, 1905
Crosslink density, 257, 577
Crosslinked sodium polyacrylate, 577

Crosslinking, 397, 521, 621
Crosslinking monomers, 1775
Crumb rubber, 1543
Crystal growth, 1125
Crystallite, 269
Crystallization, 309, 341, 701, 1559, 1601
Crystallization mechanisms, 1139
$Cu_9S_5$ crystalline, 1039
$CuCl_2$-filled PVDF films, 771
Cuprammonium cellulose solution, 1249
Cuprammonium regenerated cellulose membrane, 1669
Cure kinetics, 1479
Curing, 1679
Curing behaviors, 585
CV, 209
Cyclic structure, 1539
1,4-Cyclohexanedimethanol, 553
Cyclomatrix, 1085

Decomposition, 501
Degradable blend, 227
Degree of substitution, 529
Dental adhesive resin, 1655
Depropagation, 1611
Desorption, 455, 689, 1291
Desulfurization, 1543
Dextran, 871
Diblocks, 1165
Differential scanning calorimetry, 1429
Differential scanning calorimetry, (DSC), 701
Diffusion, 349, 689
Digital image analysis, 59
Dimensional stabilization, 935
Dislocations, 1241
Dispersion state, 1689
Distribution in cross section, 203
Double-beam interferometry, 1881
Double-peak structure, 59
Drawing, 895
Drug delivery, 227
Drying, 1913
DSC, 537, 1479
DTA, 771
Durability of conductivity, 1039
Dyeability, 1177
Dynamic contact angle, 1
Dynamic mechanical analysis (DMA), 443
Dynamic mechanical properties, 165
Dynamic mechanical thermal analysis, 935
Dynamic mechanical thermal analyzer, 945

EB irradiation, 1421
Elastomer, 427
Electrical conduction, 771
Electrical properties, 1573
Electrically conductive crystal layer, 1039
Electrically conductive PAN fiber, 1039
Electro spray, 913
Electrodialysis, 493
Electro-induced polymerization, 861
Electromagnetic wave absorbing, 75
Elemental spectroscopy for chemical analysis (ESCA), 659
Elongational and shear flow fields, 1523
Elongational viscosity, 961
Elution, 371
Emulsifying property, 639
Emulsion copolymerization, 1627
Emulsion polymerization, 797, 1451, 1495
End capping, 1047
*endo-* and *exo*-dicyclopentadiene, 103
Enentioselective permeation, 493
Energy-dispersive X-ray analysis, 203
Environment, 1321
Enzyme immobilization, 69, 1367
Enzyme-membrane reactor, 1367
EPDM-*g*-NVP (ENVP), 1177
Epichlorohydrin elastomers, 1827, 1835
Epoxidation, 103
Epoxidized natural rubber (ENR), 1895
Epoxy, 257
Epoxy networks, 849
Epoxy resin, 427, 913, 953, 1479
Epoxy resins, 537
Epoxy/nylon blend, 1055
Equilibrium, 277
Equilibrium constants, 329
ESR, 771
Ethyl acrylate, 1495
Ethyl cellulose, 529
Ethylcellulose, 689
Ethylene propylene copolymer, 1257
Ethylene vinyl silane, 521
Ethylene–propylene copolymer (EPQ-30R), 215
Ethylene–propylene–diene terpolymer (EPDM), 1177
EVA, 165
EVA copolymers, 1799
Extruder, 1489

Fatigue, 1783
Fibers, 1721, 1869, 1881
Fickian diffusion, 1305
Field desorption mass spectrum, 1539
Filler, 1321
Finite element, 563
Flame retardant, 109
Foam ultrahigh molecular weight PE, 1843
Food simulants, 49
Formaldehyde emission, 277
Fourier transform infrared spectroscopy (FTIR), 741
Fractography, 257
Fracture toughness, 257, 435, 647, 849, 1055
Free-radical branching, 477
Friction and wear, 361, 751
Frictional surfaces, 751
Fullerene, 209
Functionality type distribution, 183
Functionalization of polyolefins, 103
Functionalized polyethylene, 989

β-Galactosidase, 1367
Gamma radiation, 509
Gas separation, 1601
GC/MS, 827
Gelatin–doped PVA films, 1395
Generalized kinetics, 1283
Geomembrane, 349, 1291
Glass transition, 1611
Glass transition temperature, 733
Glass-fiber-reinforced polyamide, 1783
Glucoamylase, 69
Glycidyl imides, 537
Gradient elution, 183
Graft copolymer, 1429
Graft copolymerization, 135, 611
Graft efficiency, 1177
Graft polymerization, 251, 659, 1177, 1583, 1699
Grafting, 887, 1495
Grafting reaction, 1817
Gray cotton, 887
*G*-value, 721

$^1$H NMR spectroscopy, 741
$H_2O_2$—$Fe^{2+}$ system, 1077
Heat treatment, 1881
Heat-resistant PMMA, 1335
High pressure, 1539
High temperature, 1589
High-density polyethylene, 1321
High-performance liquid chromatography (HPLC), 677
HIPS, 1151
Hollow fiber, 175
Hollow fiber membrane, 379
Homogeneous, 961
Homopolymerization, 467
Hybrid model, 905
Hydrogel, 1421
Hydrogel contact lenses, 321
Hydrogel membranes, 397
Hydrogel P(Am-NaA), 1203
Hydrogenation, 1807
Hydrolysis, 631
Hydrolyzed polyacrylamide, 783
Hydrophobic segment, 1305
Hydrophobicity, 1763
Hydroxyethyl cellulose, 763
Hydroxyl acid, 667
Hydroxyl–hydroxyl self-association, 123
Hydroxylated poly(vinyl chloride), 621
Hyperbranched polymer, 151, 1065
Hytrel, 85

Immiscible, 961
Immobilization, 1565
Impact modification, 1257
Impact strength, 1151, 1165
*In situ* ultraviolet–visible spectra, 1077
Infrared, 887
Injection molding, 701, 1733, 1741
Integrally skinned asymmetric flat sheet membranes, 1601
Interferometry, 1185
Interpolymer complex, 1523
Inverse microemulsion polymerization, 1341
Inverse suspension, 1349
Inverse suspension polymerization, 1221
Ion beam, 41
Ionic groups, 1305
Ionic polymers, 1755
IPN, 585
i-PP resins, 1733, 1741
IR, 771
Irradiation, 659, 1395
Isoconversional kinetic analysis, 537
Isotactic polypropylene, 1559
Isotactic-polypropylene-(iPP)-based blends, 701
Isothermal transition kinetics, 1139

Jute, 935
Jute composite, 935

Kassenbeck's structure, 203
Kerner model, 165
Ketonic resin, 927
Kinetics, 1589, 1627

Lactose hydrolysis, 1367
Lamellar structure, 1529
Large deformation, 563
Latex blend coatings, 1407
Latex film, 981
Latex reactors, 1451
Light resistance, 1177
Lignin, 1321
Limited aqueous medium, 135
Linear low-density polyethylene (LLDPE), 989
Linen, 1209
Liquid chromatography, 913
Liquid crystalline polyester, 1047
Liquid food, 49
Liquid propellant, 141
Liquid-phase polymer-based retention method, 741
Lixiviates, 443
Location, 269
Low ethylene content propylene–ethylene copolymer, 1559
Low molecular weight liquid-rubber diluents, 13
Low temperature plasma, 1699
Low-density polyethylene, 1321
Low-shrinking monomers, 1775
Low-temperature plasma, 1327

Magnetic poly(styrene) particles, 69
Magnetic susceptibility, 771
Maleated polypropylene, 1647
Maleation, 477
Maleic anhydride, 1257, 1799
Maleic anhydride copolymers, 1565
Mass spectrometry, 913
Mass transfers, 49
Material transportation, 1669
MBT, 1235
MBTS, 1235
Mechanical properties, 85, 291, 577, 1113, 1407
Mechanical property, 1647
Mechanical testing, 529
Melt free radical grafting, 877
Melt functionalization, 1799
Melt mixing, 1313
Melting behavior, 1559
Membrane, 493
Membrane formation, 379
Membrane strength, 1601
Mesitylacetylene, 1539
Metal complexation, 741
Metal sulfides and graphite, 751
Metallocene, 1807
2-Methacryloyl oxyethyl trimethyl ammonium chloride, 1341
Methyl cellulose, 1647
Methyl methacrylate, 1589, 1627
α-Methylstyrene, 1627
α-Methylstyrene, methyl methacrylate, 1611
Microcapsule, 1763
Microfiltration, 175
Microporous film, 1489
Microsphere, 667
Microstructure, 1611
Microwaves, 771
Miscibility, 945, 1113
Miscible, 961
Mixing temperature, 1055
Mixtures, 783
Modeling, 49, 309
Modelling, 1611
Modic, 1277
Modified ENVP (MENVP), 1177
Modified Sturm test, 341
Moisture absorption, 435, 1407
Molecular imprinting, 493
Molecular mobility, 1241
Molecular order, 895
Molecular weight, 1313, 1733
Molecular weights, 1611
Monocholesterylsuccinate, 763
Monoclinic form, 1241
Monomethylhydrazine, 141, 689
5-Monosubstituted barbituric acid, 1655
MOR, 1235
Morphological distribution, 1669
Morphology, 215, 1055, 1065, 1113
Multipurpose additive, 487

Nanocomposites, 1851
Nanocrystallites, 1851
Nanofiltration membranes, 1755
Natural polymers, 1131
Natural rubber, 487

NBR, 165
*n*-Butyllithium, 1807
*N*-cyanomethyl acrylamide, 1091
Necking, 563
Neural network model, 905
Neutralized poly(acrylic acid-*co*-acrylamide), 1349
Neutron irradiation, 1395
Nielsen equation, 1689
*N*-isopropyl acrylamide, 1091
Nonisothermal crystallization, 1733, 1741
Nonlinear regression, 1505
Nuclear magnetic resonance, 1203
Nucleation, 1341
Nucleation growth coupled with spinodal decomposition, 59
*N*-vinylacetamide, 1583
*N*-vinylformamide, 1583
*N*-Vinylpyrrolidione (NVP), 1177
Nylon6.6, 1505
Nylon-6,6 polymerization, 905

Oil lubrication, 751
Oligomer, 1539
Oligomers, 1101
Online monitoring, 1451
Open-circuit potential, 1077
Optical, 771
Optical configuration, 1185
Optical microscopy, 1429
Optical resolution, 493, 677
Organo-metallic complexes, 1131
Organosilane, 1
Organo-soluble, 1299
Orientation, 269, 405, 1185
Oxazoline, 877, 1443
2-Oxazoline, 1047
Oxygen diffusion, 321
Oxygen permeability, 321
Oxygen transmissibility, 321
Ozonization, 611

PA1010, 683
Palmitoylated guar galactomannan, 639
Particle size, 849
Particle volume expansion, 419
PBAS/PBT copolyesters, 593
PC, 501
PEEK, 175
Percolation threshold, 1573
Perfluorocyclohexylation, 1101
Permeability, 397
Permittivity, 75
Peroxide, 1101
Pervaporation, 141
Pervaporation separation, 241
pH Range, 277
pH-Responsive release, 1763
pH sensitivity, 1305
Phase inversion, 379
Phase morphology, 291
pHEMA, 1367
Phenolic resin, 1551
Phenoxy, 85
Phosphazenes, 1085
Phosphonic acid, 611
Phosphonium groups, 371
Phosphorus-containing copolyester, 109
Photoconductivity, 209
Photoinitiators, 927
Photon transmission, 981
Photooxidative degradation, 215
Physical ageing, 543
Plasma etching, 405
Plasticity criterion, 1241
Plasticized PVC, 49
Plasticizer, 487
Platelet adhesion, 1249
Poisson's ratio, 35
Polarizing optical microscopy, 763
Polyacrylamide, 1905
Polyacrylic acid, 455
Poly(acrylic acid), 971, 1763
Poly(adipic acid), 227
Polyaggregate model morphology, 165
Polyamide, 1835
Polyamide 6, 1113
Polyamides, 1827
Polyaniline, 1077
Polyblend, 1277
Polybutadiene, 1165
Poly(butylene succinate), 945
Poly(butylene terephthalate) (PBT), 989
Polycarbonates, 1851
Polychloroprene, 577
Polyelectrolyte, 1523
Polyelectrolyte complex, 1763
Polyester fabric, 631
Polyesteramide, 1679
Poly(ether ether ketone), 733
Poly(ether ether ketone) membrane, 175
Poly(ether imide), 543, 733
Poly(ether sulfone), 1699
Polyethylene, 521, 1125
Poly(ethylene glycol)-poly(L-lactide) block copolymer, 341
Poly(ethylene oxide), 783
Poly(ethylene terephthalate) film, 1327
Poly(ethylene terephthalate-*co*-oxybenzoate), 1047
Polyethylene–carbon black composites, 1573
Polyethylene/polyamide 6 blend, 1443
Polyethyleneterephthalate waste, 329
Poly(ethylenimine), 1763
Poly(hydroxyether of bisphenol A), 1113
Polyimide, 1299
Polyisoprene, 1007, 1021, 1235
Polylactide, 477
Polymer complexes, 971
Polymer gel, 1
Polymer modification, 1047
Polymer–polymer interaction parameter, 733
Polymeric ultrafiltration membranes, 1699
Polymerization initiator system, 1655
Polymerization-induced phase separation, 59
Polymers, 309
Polymethyl methacrylate (PMMA), 509
Poly(*N*-isopropylacrylamide), 1
Poly(*N*-vinylcarbazole), 209
Polyolefin, 877
Polyphenol–CdS nanocomposite materials, 1851
Polypropylene, 251, 563, 1241, 1257, 1321, 1489
Polypropylene blends, 291
Polypropylene functionalization, 1313
Polypyrrole, 95, 1843
Polysaccharide emulsifier, 639
Polysaccharide stabilizer, 639
Polystyrene, 13, 435, 1165
Polystyrene blends, 291, 1151
Polystyrene (PS), 509
Poly(styrene-methyl methacrylate-acrylic acid), 419
Polysulfide, 1039
Poly(trimethylene carbonate), 227
Poly(vinyl acetate-*co*-vinyl alcohol) copolymers, 123
Poly(vinyl alcohol), 1913
Poly(vinyl alcohol) (PVA), 1755
Poly(vinyl alcohol) (PVA) films, 1395
Poly(vinylamine), 1583
Poly(vinylidene fluoride), 611
Polyvinylidenefluoride (PVDF), 41
Porous media flow, 783

Porous nanoparticles, 419
Potassium titanate, 501
$\alpha$-PP, 1529
$\beta$-PP, 1529
PPO membranes, 1601
Prediction of the temperature rise, 1783
Preparation, 1299
Pressure effect, 1241
Property 4,4′-diamino-3,3′-dimethyldiphenylmethane, 1299
4-Propionoxybenzoic acid, 467
Protective packaging buffers, 721
Protein fouling, 1699
PSBH, 95
PTFE composites, 361, 751

Quiescent crystallization kinetics, 1733
Quiescent crystallization kinetics, 1741

Racemates, 677
Radical polymerization, 1589, 1775
Radical scavenger, 827
Radical traps, 827
Raman spectroscopy, 1795
Rare earth compounds, 361
Reactive blending, 1827, 1835
Reactive extrusion, 477, 877, 1443
Reactive gas environment, 41
Reactive processing, 621, 1047
Reactivity, 277
Redox initiation, 1341
Redox initiator, 135
Relative humidity, 1407
Relaxation time, 1203
Releasing behaviors, 1305
Resins, 371, 1031
Resonant cavitation, 797
Retention and elution of metal cations, 1387
Rheological property, 945
Ring opening reaction, 1551
Ring-opening polymerization, 1775
Rubber compound, 1513
Rubber compounding, 1543
Rubber concrete, 35
Rubber content, 1151
Rubber seed oil, 487
Rubber toughening, 647
Ruthenium tetroxide staining, 1529
Rutherford Backscattering Spectrometry, 1313
RVNRL film, 1421

Saline solution, 887
SAN resin, 435
Sand/clay-polyester composite, 1031
SBR compound, 1379
SBR rubber, 835
Scanning electron microscopy, 203, 1209
Scanning electron microscopy (SEM), 701
Screening design, 227
Screw dislocation, 1125
Secondary transitions, 85
Self-nucleation, 1559
Semicrystalline polymers, 1913
Semi-IPN-like structure, 1055
Sequence distribution, 123, 593
Silane coupling agent, 1895
Silk, 895
Small molecules, 309
Small-angle X-ray (SAXS), 701
Small-angle X-ray scattering, 1429
Smectic form, 1241
Smoother surface, 1249
Sodium hydroxide, 631
Sol–gel reaction, 1489
Solutes, 397
Solvent removal, 1913
Sorption, 349, 1291
Specific heat, 1513
Specific resistance, 1039
Spinning, 895
$SrTiO_3$, 75
Stabilizers, 835
Stearic acid, 999, 1013, 1021
Steel substrates, 611
Stereo coordination effect, 677
Stiffness, 895
Straight chain segments, 1795
Strain-hardening, 961
Stress-whitening, 435
Structure–property behavior, 509
Styrene, 1495, 1807
Styrene butadiene rubber, 487
Styrene ethylene/butylene styrene copolymer, 877
Styrene/rubber block copolymers, 291
Submicron-sized copolymer gel particle, 1091
Sulfuric acid coagulants, 1669
Superabsorbent, 887
Surface, 1
Surface analysis by electron spectroscopy for chemical analysis, 1327
Surface modification, 251, 1699
Surfactant, 1407
Swelling, 349, 1221, 1291
Swelling anisotropy, 1669
Swelling behavior, 1091
Synergistic effect, 1283
Synthesis, 109, 1085, 1335

Tackiness, 1421
Tacticity, 123
Telechelic, 667
TEM, 209
TEM observation, 435
Temperature and frequency superposition procedure, 1783
Temperature-sensitive polymers, 1
Tensile strength, 501, 1177
Terephthalic esters, 329
Ternary blends, 1429
*tert*-Butyl peroxymaleic acid, 1655
Tetrabutyl orthotitanate, 1647
Tetraethoxysilane, 1489
Tetramethylthiuram disulfide, 999, 1007, 1013, 1021
Thermal analysis, 1913
Thermal and mechanical properties, 1835
Thermal conductivity, 1689
Thermal degradation, 443
Thermal diffusivity, 1379
Thermal properties, 543, 953
Thermal stability, 1177, 1551
Thermogravimetry, 135, 1209
Thermogravimetry-FTIR, 443
Thermoplastic polyimide, 543
Thermoplastic toughening, 151
Thermoset morphology, 151
Thermotropic, 763
Theta temperature, 871
Thixotropy, 1905
Three-dimensional chelating agents, Cu(II) and Ni(II) cations uptaken by acrylic ion exchangers, 1387
Time-resolved WAXD, 341
Toughened thermoset, 1065
Toughened thermosetting composites, 647
Toughness improvement, 585
Transesterification, 945
Transesterification reaction, 621
Transient cavitation, 797
Transient networks, 783
Triblocks, 1151
Twin-screw extruder, 905

UHMW, 961
UHMW polyethylene gel, 1795
Ultrahigh molecular weight polyethylene, 405

Ultrahigh molecular weight polyethylene (UHMWPE), 659
Ultrasonics, 1451
Ultrasound, 797, 827
Ultraviolet radiation, 1131
Undrawn uniaxially stretched polyester (PET) fibers, 1869
Uniaxially stretched polyester (PET) fibers, 1881
Unperturbed dimensions, 871
Unsaturated polyester, 1817
Unsaturated polyester resins, 1031
Unsymmetrical dimethylhydrazine, 141
Urea-formaldehyde resins, 277
Uron, 277
Uron resins, 277
UV irradiation, 215, 251

Vectra™, 1139
Vinyl chloride–vinyl acetate copolymer, 621
Vinyl ester, 647
2-Vinylcyclopropanes, 1775
Vinylsilane, 1313
Viscoelastic behavior, 165
Viscose fiber, 135
Viscose fibers, 1185
Viscosity, 1905
Viscous flow, 981
Void closure, 981
Volume resistivity, 1573
Vulcanization, 999, 1007, 1013, 1021, 1513

Waste rubber, 35
Waste valorization, 329
Water absorption, 1349
Water clusters, 1407
Water permeability, 529
Water–isopropanol mixtures, 241
Water-soluble copolymers, 741
Water-swellable rubber, 577
Weight loss, 631, 1283
Wettability, 1327
Wetting, 405
Whisker, 501
Wide-angle X-ray spectroscopy (WAXS), 701
Wood adhesives, 277

Xerogels, 1221
X-ray detector, 1209
X-ray photoelectron spectroscopy, 95
X-ray photoelectron spectroscopy (XPS), 41
X-ray scattering, 309

Yield stress, 1905

Zirconocene catalysts, 103
ZnO, 1013, 1021, 1235